


09



UNIVEGA
RIDE IT YOUR WAY

KATALOG
2009



RIDE IT
YOUR WAY

RIDE IT YOUR WAY

MTB-Pionier und Univega-Gründer Ben Lawee hatte diesen Leitspruch bereits in den Achtzigern zum Leben erweckt. Höchste Qualität und uneingeschränkter Fahrspaß hatten für ihn schon immer Priorität.

Seit über 20 Jahren handeln wir bei Univega nach diesen Prinzipien. Das Ergebnis: Durch unser Fachwissen und die Liebe zum Detail dürfen wir uns heute mit Stolz zu den größten Fahrradherstellern Europas zählen.

Viele Biker teilen unser Verständnis von Perfektion und bieten uns täglich Ansporn, immer wieder unser Bestes zu geben.

MTB pioneer and Univega founder Ben Lawee coined that motto as long ago as the 1980s. Top-class quality and unlimited riding pleasure have always been his priorities.

For over 20 years now, we have been following these principles at Univega. The result: our specialist knowledge and love of detail means we can now proudly count ourselves among the largest cycle manufacturers in Europe.

Many riders share our understanding of perfection, giving us the incentive on a daily basis to always give our best.

DOUBLE PROOFED MATERIAL

Auf unsere Räder kannst Du bauen: Erst, wenn ein Bike genauestens auf seine Funktionalität geprüft wurde, darf es unser Werk verlassen. Wir verarbeiten lediglich die besten Materialien, um Dir einen einwandfreien und sicheren Fahrspaß zu bieten.

Wir garantieren, dass unsere Räder Dir in jeder Situation ein super Begleiter sind. Diverse Verarbeitungs- und Praxistests liefern den nötigen Beweis dafür!

Unser Univega-Team besteht aus Profis und Weltmeistern, die ganz genau wissen, was ein richtiger Biker von einem Fahrrad erwartet. So sind wir in der Lage, stets innovative Lösungen zu finden und die Ergebnisse unserer Arbeit immer wieder zu optimieren.

You can count on our bikes because only when they have been checked meticulously for their functionality are they allowed to leave the factory. We only work using the finest materials, ensuring you perfect, safe riding pleasure.

We guarantee that our bikes will prove to be a superb companion, whatever the situation. Numerous product quality and practical tests provide plenty of proof of that!

Our Univega team is made up of professionals and world champions who know exactly what serious riders demand from their bike. That puts us in the position to constantly come up with innovative solutions and continually optimise the results of our work.

MORE THAN JUST BIKING


Spitzenleistung in Sachen Technologie, Präzision und Optik – das sind unsere Bausteine für Deinen Fahrspaß. Ganz nach dem Motto „Das Auge fährt mit“ gewährleistet auch das Design neben der besten Technik puren Spaß beim Biken.

Gönne Dir das Beste: Unsere Modelle 2009 warten bereits auf Dich. Ride it your way!

Top performance when it comes to technology, precision and looks – our building blocks for your riding pleasure. True to the motto of “looks count too”, alongside superb technology, our designs guarantee pure riding pleasure.

Treat yourself to the best: our 2009 models are ready and waiting for you. Ride it your way!

INDEX



INDEX

Bei den Bildern unserer Räder im Einsatz handelt es sich nicht um gestellte Werbeaufnahmen, sondern überwiegend um Bilder von Fahrern des Univega Pro Cycling Teams. Mit den von uns zur Verfügung gestellten Rädern ist das Team eines der erfolgreichsten MTB-Marathon-Teams Europas geworden.

With pictures of our bikes being used, it's not about staged advertising material, but mainly about pictures of riders from the Univega Pro Cycling Team. Using the cycles supplied by us, the team has become one of the most successful MTB Marathon teams in Europe.

ALPINA HT SERIES

PAGE 06 - 14



ALPINA SL SERIES

PAGE 16 - 20



ALPINA SKY SERIES

PAGE 22 - 24



RAM ES SERIES

PAGE 26 - 28



RAM XF/SOLO SERIES

PAGE 30 - 35



RAM BX SERIES

PAGE 36 - 39



VIA SERIES

PAGE 40 - 43



TERRENO SERIES

PAGE 44 - 49



GEO SERIES

PAGE 50 - 55



ALPINA KIDS SERIES

PAGE 56 - 59



DELTA BOX™ TECHNOLOGY

DELTA BOX TECHNOLOGY

Fahren wie auf Schienen. Durch die revolutionäre Delta Box Technologie sind Leichtbau und Stabilität keine Gegensätze mehr. Eine in das Steuerrohr integrierte Torsionsbox stabilisiert und beruhigt das Fahrwerk, besonders unter Extrembedingungen. Das Ergebnis ist eine 30% höhere Rahmensteifigkeit bei extrem niedrigem Gewicht.

DELTA BOX TECHNOLOGY

A ride like on rails. Lightweight construction and stability are no longer mutually exclusive, thanks to the revolutionary Delta Box Technology. A torsion box integrated in the head tube stabilises and damps the suspension, particularly under extreme conditions. The achievement is 30% greater frame rigidity combined with extremely low weight.



ALPINA HT-UPCT X.0

RAHMEN FRAME:	26" Univega MTB High Modular Carbon Delta Box II with Carbon Dropout
GABEL FORK:	Rock Shox SID Worldcup, AIR, Poploc, 100 mm
SCHALTUNG DRIVETRAIN:	27-Gang SRAM X.0
BREMSEN BRAKES:	Avid Elixir CR Carbon, hydraulic Disc-Brake Front: 185 mm / Rear: 160 mm
LAUFRÄDER WHEELSET:	Mavic Crossmax SLR
EXTRAS EXTRAS:	Superlight Parts (FSA OS-99 Stem, FSA XC-130 Carbon Flatbar, Truvativ Noir Crankset)

HARDTAILS FOR HARD TRAILS

Mountainbikes, die man nicht so schnell wieder hergeben möchte, das sind die Modelle der Univega Alpina HT Serie. Sie wurden in Zusammenarbeit mit dem Univega Pro Cycling Team entwickelt und bieten megaleichte Verkleidung und dazu unfassbare Stabilität. Mit diesen Bikes kannst Du Dich so richtig austoben oder bequem in aller Ruhe die Natur genießen

HARDTAILS FOR HARD TRAILS

Mountain bikes that you won't be looking to hand back in a hurry: that's our Univega Alpina HT series, developed in conjunction with the Univega Pro Cycling Team with an ultra-light frame and incredible stability. On these bikes, you can really go for it, or take a peaceful, comfortable ride through the countryside.



DELTA™
BOX
TECHNOLOGY

ALPINA SERIES

ALPINA HT SERIES | ALPINA SL SERIES | ALPINA SKY SERIES

UNIVEGA

DELTA™
BOX
TECHNOLOGYRAPIDFIRE
Plus

ALPINA HT UPCT XTR

RAHMEN FRAME:	26" Univega MTB High Modular Carbon Delta Box II with Carbon Dropout
GABEL FORK:	Fox 32-F100-RLC, AIR, 150 mm Axle, Platform, 100 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XTR Shadow
BREMSEN BRAKES:	Avid Elixir CR, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS EXTRAS:	DT-Swiss X455 Rims, Shimano XT 150 mm Axle Hub, Truvativ Noir Crankset

DELTA™
BOX
TECHNOLOGYbike sport
NEWSAusgabe: Jan/Feb 2008
Ergebnis: „sehr gut“

ALPINA HT-590

RAHMEN FRAME:	26" Univega MTB High Modular Carbon Delta Box II with Carbon Dropout
GABEL FORK:	Rock Shox Reba-SL, AIR, Poploc, 100 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XT Shadow
BREMSEN BRAKES:	Hayes Stroker Trail, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
LAUFRÄDER WHEELSET:	DT-Swiss X-1900
EXTRAS EXTRAS:	Concept X-treme Parts (Stem, Flatbar, Seatpost, Barends)





**DELTA™
BOX**
TECHNOLOGY


**RAPIDFIRE
Plus**



ALPINA HT-580

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

26" Univega MTB High Modular Carbon Delta Box II with Carbon Dropout
Manitou Drake Super, AIR, Rebound, Platform, 100 mm

27-Gang Shimano XT Shadow

Hayes Stroker Ryde, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm

Foldable Schwalbe Nobby Nic Evolution Tires, Concept SL Parts


**Shimano
Crankset**


**RAPIDFIRE
Plus**



ALPINA HT-570

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

26" Univega MTB Hydroforce, alloy

Manitou R7 Super, AIR, Rebound, Platform, 100 mm

27-Gang Shimano XT Shadow

Avid Elixir R, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm

Shimano XT Crankset, Concept X-treme Parts

UNIVEGA

bike

Ausgabe: März 2008
Ergebnis: „gut“

ALPINA HT-560

RAHMEN FRAME:	26" Univega MTB Hydroforce, alloy
GABEL FORK:	Rock Shox Recon-SL, AIR, Poploc, 100 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XT Shadow
BREMSEN BRAKES:	Hayes Stroker Ryde, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS EXTRAS:	Foldable front: Schwalbe Nobby Nic Tire / rear: Schwalbe Racing Ralph Tire

Ausgabe: Jan/Feb 2008
Ergebnis: „sehr gut“

ALPINA HT-550

RAHMEN FRAME:	26" Univega MTB double butted, alloy
GABEL FORK:	Rock Shox Tora-SL, 100 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XT Shadow
BREMSEN BRAKES:	Avid Juicy Three White Edition, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS EXTRAS:	Foldable Schwalbe Racing Ralph Tires, Concept SL Parts



ALPINA HT-540

RAHMEN FRAME:	26" Univega MTB double butted, alloy
GABEL FORK:	Marzocchi 22, Lockout, 100 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano Deore
BREMSEN BRAKES:	Avid Single Digit Five, V-Brake
EXTRAS EXTRAS:	Foldable front: Schwalbe Rocket Ron Tire / rear: Schwalbe Furious Fred Tire



ALPINA HT-530

RAHMEN FRAME:	26" Univega MTB Zero Stack, alloy
GABEL FORK:	SR Suntour XCM, hydraulic Lockout, 80 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano SLX Shadow
BREMSEN BRAKES:	Tektro Auriga Pro, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS EXTRAS:	Light Parts (Concept SL Lowriser, Concept SL seatpost)



ALPINA HT-510

RAHMEN FRAME:	26" Univega MTB Zero Stack, alloy
GABEL FORK:	SR Suntour XCM, hydraulic Lockout, 80 mm
SCHALTUNG DRIVETRAIN:	27-Gang Shimano SLX Shadow
BREMSEN BRAKES:	Concept SL, V-Brake
EXTRAS EXTRAS:	FSA Crankset, Schwalbe Smart Sam Tires



ALPINA HT-500

RAHMEN FRAME:	26" Univega MTB Zero Stack, alloy
GABEL FORK:	SR Suntour XCT, mechanical Lockout, 80 mm
SCHALTUNG DRIVETRAIN:	24-Gang Shimano Deore
BREMSEN BRAKES:	Tektro, V-Brake
EXTRAS EXTRAS:	Trail Trax Tires



Original Shimano Kurbelgarnituren

Leichter Lauf und ideale Kraftübertragung

Hohlgeschmiedete

Kurbelarme für geringeres Gewicht bei gleichzeitig hoher Stabilität und Steifigkeit

Hohlwelle

ist fest mit rechter Kurbel verbunden – für erhöhte Steifigkeit und geringeres Gewicht

SG-X Kettenblätter

für präzise und leichte Schaltvorgänge

Außen liegende, größer dimensionierte Lager

für eine Optimierung der Lastverteilung

Vergrößerung des Hohlwellendurchmessers für eine Erhöhung der Stabilität

Leichter Lauf, ideale Kraftübertragung, Haltbarkeit und geringes Gewicht – dies sind die Hauptanforderungen, die an Kurbelgarnitur und Innenlager gestellt werden. Von ihnen wird das Gesamtfahrverhalten eines Fahrrades erheblich beeinflusst. Daher beschäftigt

sich Shimano schon seit vielen Jahren konsequent mit der Weiterentwicklung dieser zentralen Komponenten. Die Spitze dieser Entwicklung stellt die aktuelle HOLLOWTECH II Technologie dar, die maximale Stabilität und geringes Gewicht in sich vereint.



Dieses Logo zeigt Dir die Räder in diesem Katalog, die mit original Shimano Kurbelgarnituren ausgestattet sind.



SHIMANO
XTR



SAINE



SHIMANO
**Deore
XT**



SLX

SHIMANO



ALPINA HT-300

RAHMEN FRAME:	24", 26" Univega MTB, alloy
GABEL FORK:	SR Suntour XCT, adjustable, 80 mm
SCHALTUNG DRIVETRAIN:	21-Gang Shimano Acera
BREMSEN BRAKES:	Tektro, V-Brake
EXTRAS EXTRAS:	Double Wall Rims, Shimano STI Shifter

SRAM


X-O

Erfolgsgarantie!

Leistung wird belohnt. Die X.O ist 8-facher Weltmeister, da sie unter allen Bedingungen fehlerfrei funktioniert, vom extremen Freeride bis hin zu den Härten eines Worldcup Cross-Country-Rennens.

Unser 1:1-Übersetzungsverhältnis sorgt zusammen mit unserem äußerst widerstandsfähigen Käfigdesign aus Carbon und Aluminium für Zuverlässigkeit und Höchstleistung.





ALPINA SL-UPCT

RAHMEN FRAME:	26" Univega High Modular Carbon Delta Box II, 4-link-support
GABEL FORK:	Fox 32-F100-RL, AIR, 150 mm Axle, Platform, 100 mm
FEDERBEIN SUSPENSION:	Fox Float RP23, AIR, 3-Position Adjuster
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XTR Shadow
BREMSEN BRAKES:	Avid Elixir CR Carbon, hydraulic Disc-Brake Front: 185 mm / Rear: 160 mm
LAUFRÄDER WHEELSET:	Mavic Crossmax SLR, 150 mm Axle
EXTRAS EXTRAS:	Superlight Parts(Shimano XTR Crankset, FSA OS-99 Stem, FSA Carbon Wrap Riserbar)

FULLSUSPENSION FÜR VOLLE ZUFRIEDENHEIT

Jede Menge großer Federwegsreserven und ein ultraleichter Rahmen machen es möglich: Die Piste gehört Dir! Ob einfacher Trail oder schwieriger Ground, die Univega Alpina Series ebnet Dir den Weg. Bei der Entstehung dieser Serie hat das Univega Pro Cycling Team tatkräftig mitgewirkt.

FULL SUSPENSION, FULL SATISFACTION

Loads of spring deflection reserve and an ultra-light frame make it possible: the slope is yours! Whether on a simple trail or challenging ground, the Univega Alpina Series smooths your way. The Univega Pro Cycling Team was heavily involved in the development of this series.

ALPINA SERIES

ALPINA HT SERIES | ALPINA SL SERIES | ALPINA SKY SERIES



UNIVEGA

DELTA™
BOX
TECHNOLOGY


Shimano
Crankset



ALPINA SL-9

RAHMEN | FRAME: 26" Univega High Modular Carbon Delta Box II, 4-link-support
GABEL | FORK: Rock Shox SID Race, AIR, Poploc, 100 mm
FEDERBEIN | SUSPENSION: Manitou S-Type SLR, AIR, Platform, Lockout
SCHALTUNG | DRIVETRAIN: 27-Gang SRAM X.0
BREMSEN | BRAKES: Avid Juicy Seven, hydraulic Disc-Brake,
 Front: 185 mm / Rear: 160 mm
EXTRAS | EXTRAS: Shimano XT Crankset, FSA Parts(Handlebar, Stem, Hubs)


RAPIDFIRE
Plus



ALPINA SL-7

RAHMEN | FRAME: 26" Univega 4-link-support Hydroforce, alloy
GABEL | FORK: Fox 32-F100-RL, AIR, Platform, 100 mm
FEDERBEIN | SUSPENSION: Fox Float RP23, AIR, 3-Position Adjuster
SCHALTUNG | DRIVETRAIN: 27-Gang Shimano XTR Shadow
BREMSEN | BRAKES: Avid Elixir CR, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS | EXTRAS: Foldable Schwalbe Nobby Nic Evolution Tires, FSA Parts





bike sport
NEWS

Ausgabe: Juli 2008
Ergebnis: „sehr gut“



ALPINA SL-5

RAHMEN FRAME:	26" Univega 4-link-support Hydroforce, alloy
GABEL FORK:	Rock Shox Recon-Race, AIR, Poploc, 100 mm
FEDERBEIN SUSPENSION:	Rock Shox Monarch 3.1, AIR, Platform
SCHALTUNG DRIVETRAIN:	27-Gang SRAM X.9
BREMSEN BRAKES:	Hayes Stroker Trail, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS EXTRAS:	Foldable Schwalbe Nobby Nic Evolution Tires, Concept X-treme Parts (Seatpost, Stem, Hubs)



ALPINA SL-3

RAHMEN FRAME:	26" Univega 4-link-support, alloy
GABEL FORK:	Marzocchi 33, Remote Lockout, 100 mm
FEDERBEIN SUSPENSION:	X-Fusion O2 RPV, AIR, Lockout
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XT Shadow
BREMSEN BRAKES:	Hayes Stroker Ryde, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS EXTRAS:	Foldable Schwalbe Nobby Nic Evolution Tires, Concept SL Parts



ALPINA SL-1

RAHMEN FRAME:	26" Univega 4-link-support, alloy
GABEL FORK:	RST Gila, Lockout, 100 mm
FEDERBEIN SUSPENSION:	DNM AO30RC, AIR, Lockout
SCHALTUNG DRIVETRAIN:	27-Gang Shimano SLX Shadow
BREMSEN BRAKES:	Tektro Auriga Comp, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS EXTRAS:	Schwalbe Nobby Nic Tires, Concept SL Parts

THE OFF-ROAD COMPACT

42/29

44/29

Gunn Rita Dahle
2008 World Champion Marathon,
Women

ricardo.com



EUROPE: F.S.A. S.r.l. - Via del Lavoro, 56 - 20040 Busnago (MI) - Italy
Tel. +39 039 6885265 - Fax +39 039 6823336

F.S.A. rides with **Škoda** www.skoda-auto.it

WWW.FULLSPEEDAHEAD.COM



ALPINA SL SKY

RAHMEN FRAME:	26" Univega 4-link-supprt Lady Advanced, alloy
GABEL FORK:	Rock Shox Recon-SL, AIR, Poploc, 100 mm
FEDERBEIN SUSPENSION:	X-Fusion O2 RPV, AIR, Lockout
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XT Shadow
BREMSEN BRAKES:	Hayes Stroker Trail, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
LAUFRÄDER WHEELSET:	Mavic Crossride
EXTRAS EXTRAS:	Ergon Barends, Adjustable Stem, Foldable Schwalbe Racing Ralph Tires



ALPINA SERIES

ALPINA HT SERIES | ALPINA SL SERIES | ALPINA SKY SERIES

FRAUEN AN DIE RÄDER

Die SL Sky Serie ist speziell für weibliche Fahrbedürfnisse ausgerichtet und bietet durch ihre Rahmengenometrie die Möglichkeit, einfach jede Steigung zu bewältigen. Natürlich mit Material- sowie Verarbeitungsqualität auf höchstem Niveau!

LADIES, TO YOUR BIKES

The SL Sky series is designed specially for the needs of female riders, its frame geometry making it possible to easily master just about any slope. And let's not forget top-class material and manufacturing quality.



UNIMEGA



ALPINA HT SKY PRO

RAHMEN | FRAME: 26" Univega MTB Lady Advanced, alloy
GABEL | FORK: Rock Shox Tora-SL, Poploc, 100 mm
SCHALTUNG | DRIVETRAIN: 27-Gang Shimano XT Shadow
BREMSEN | BRAKES: Avid Juicy Three White Edition, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS | EXTRAS: Ergon Barends, Adjustable Stem, Foldable Schwalbe Racing Ralph Tires



ALPINA HT SKY

RAHMEN | FRAME: 26" Univega MTB Lady Advanced, alloy
GABEL | FORK: SR Suntour XCR, Remote Lockout, 100 mm
SCHALTUNG | DRIVETRAIN: 27-Gang Shimano XT
BREMSEN | BRAKES: Shimano M422, V-Brake
EXTRAS | EXTRAS: Concept SL Parts(Stem, Riserbar, Seatpost)



Shimano Rapidfire Plus

Für die entscheidenden Sekunden, um zu siegen



RAPIDFIRE PLUS SCHALTGRIFF

Wir haben die eigene Technologie in den Schatten gestellt. Die Rapidfire Plus Systeme der neuen Generation sind noch direkter, präziser, schneller. Funktion, Design, Ergonomie – alles will eins: pure, makellose Kraftentfaltung.

DAUMENHEBEL

Der Hebel ist dank seiner Konstruktion und Form mühelos zu bedienen. Bis zu vier Gänge auf einmal schalten – so kann der Vorsprung am Berg schnell ausgebaut werden.



Achte auf das Rapidfire Plus Logo im gesamten Katalog. Nur die so gekennzeichneten Bikes verfügen über die neue Technik!

AUSLÖSEHEBEL

Der neue Meilenstein in der Komponenten-Entwicklung. Schalten war noch nie so direkt, so präzise, so aggressiv.



2-WAY RELEASE. Der Hebel kann auf zweierlei Weise betätigt werden: entweder klassisch durch Ziehen mit dem Zeigefinger oder – neu – durch Drücken mit dem Daumen. Der Daumen kann schalten und der Zeigefinger den Bremshebel ziehen: gleichzeitig.



INSTANT RELEASE (nur XTR/XT). Schon beim Betätigen des Hebels wird der Schaltvorgang ausgelöst, nicht wie bisher erst beim Loslassen. Der Schaltvorgang wird so unmittelbarer und schneller.



MULTI RELEASE (nur XTR). Es können erstmalig 2 Gänge auf einmal geschaltet werden. Ideal zum Beschleunigen nach einer Kuppe.



XTR
2-WAY RELEASE
INSTANT RELEASE
MULTI RELEASE



Deore XT
2-WAY RELEASE
INSTANT RELEASE



SLX
2-WAY RELEASE



Deore
2-WAY RELEASE

SHIMANO



RAM ES-990

RAHMEN FRAME:	26" Univega 4-link-support, alloy
GABEL FORK:	Fox 36-Talas RC2, AIR, 200 mm Axle, Travel Adjust 100 - 160 mm
FEDERBEIN SUSPENSION:	Fox Float RP23, AIR, 3-Position Adjuster
SCHALTUNG DRIVETRAIN:	27-Gang SRAM X.0
BREMSEN BRAKES:	Avid Code, hydraulic Disc-Brake, Front: 203 mm / Rear: 185 mm
LAUFRÄDER WHEELSET:	Mavic Crossmax SX
EXTRAS EXTRAS:	Concept X-treme Parts, Truvativ Stylo OCT 2.2 AM Crankset

FULL SUSPENSION – FULL EXCITEMENT

All around the world! Mit unseren Rädern der ES Serie meisterst Du anspruchsvolle Downhills und gewagte Singletrails problemlos. Ein leichter Rahmen und überaus große Federwegsreserven sowie eine tolle Ausstattung sichern Dir Dein ganz persönliches Fahrvergnügen.

FULL SUSPENSION – FULL EXCITEMENT

All around the world! With our ES series bikes, you can master demanding downhill rides and challenging single tracks without a hitch. The light frame and enormous spring deflection reserve, plus a range of great features, guarantee you completely individual riding pleasure.



RAM SERIES

RAM ES SERIES | RAM XF / SOLO SERIES | RAM BX SERIES



RAM ES-970


RAHMEN | FRAME: 26" Univega 4-link-support, alloy
GABEL | FORK: Fox 32-Talac RLC, AIR, 150 mm Axle, Travel Adjust 100 - 140 mm
FEDERBEIN | SUSPENSION: Fox Float RP23, AIR, 3-Position Adjuster
SCHALTUNG | DRIVETRAIN: 27-Gang SRAM X.0
BREMSEN | BRAKES: Avid Elixir CR, hydraulic Disc-Brake, Front / Rear: 185 mm
LAUFRÄDER | WHEELSET: DT-Swiss X-1800, 150 mm Axle
EXTRAS | EXTRAS: Truvativ Stylo 3.3 Crankset, Concept X-treme Parts



RAM ES-950

RAHMEN | FRAME: 26" Univega 4-link-support Hydroforce, alloy
GABEL | FORK: Rock Shox Reba-SL, AIR, Poploc
FEDERBEIN | SUSPENSION: Fox Float RP23, AIR, 3-Position Adjuster
SCHALTUNG | DRIVETRAIN: 27-Gang Shimano XT Shadow
BREMSEN | BRAKES: Avid Elixir R, hydraulic Disc-Brake, Front / Rear: 185 mm
LAUFRÄDER | WHEELSET: Fulcrum Red Metal 5
EXTRAS | EXTRAS: Shimano XT Crankset, Concept X-treme Parts

DEADLY IN THE HANDS OF PROFESSIONALS



TRIFURTO Group
Phone: +41 055 51 10 27
www.trifurto.com

COSMIC SPORTS BV
Phone: +31 20 607 25 00
www.cosmic-sports.com

CH
INTERCYCLE
Phone: +41 041 924 601
www.intercycle.com

COSMIC SPORTS GmbH
Phone: 0349 209 207 500
www.cosmic-sports.de

2009 MARZOCCHI SUSPENSION





RAM XF-932

RAHMEN | FRAME:

26" Univega Dirt Extreme,
horizontal Dropout, alloy

GABEL | FORK:

Marzocchi Dirt Jumper 2, Rebound, 100 mm

SCHALTUNG | DRIVETRAIN:

27-Gang SRAM X.9

BREMSEN | BRAKES:

Avid Juicy Five, hydraulic Disc-Brake,
Front: 185 mm / Rear: 160 mm

EXTRAS | EXTRAS:

Schwalbe Table Top Tires

RAM SERIES


RAM ES SERIES | RAM XF / SOLO SERIES | RAM BX SERIES

GET HIGHER BABY

Auch in harten Zeiten hast Du mit dem X-Fighter immer den richtigen Begleiter unter Dir. Bikepark, Street, Dirt oder lockeres Cruisen? Ganz gleich: Die RAM Serie garantiert immer einen einzigartigen Kick.

GET HIGHER BABY

With the X-Fighter, even if the going gets tough, you'll always have the right companion beneath you. Bike park, street, dirt track or a relaxed cruise? Whichever's for you, the RAM series guarantees a unique kick, every time.



UNIMEGA



RAM XF-922

RAHMEN | FRAME: 26" Univega Dirt Extreme, horizontal Dropout, alloy
GABEL | FORK: Marzocchi Dirt Jumper 3, 100 mm
SCHALTUNG | DRIVETRAIN: 9-Gang Shimano SLX Shadow
BREMSEN | BRAKES: Avid Juicy Three, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS | EXTRAS: Schwalbe Table Top Tires



RAM XF-912

RAHMEN | FRAME: 26" Univega Dirt Pro, alloy
GABEL | FORK: RST Launch, Rebound, 100 mm
SCHALTUNG | DRIVETRAIN: 8-Gang Shimano Deore
BREMSEN | BRAKES: Tektro Auriga Comp, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS | EXTRAS: Schwalbe Table Top Tires

RAM XF-906

RAHMEN | FRAME: 26" Univega Dirt Pro, alloy
GABEL | FORK: SR Suntour XCT, adjustable
SCHALTUNG | DRIVETRAIN: 24-Gang Shimano Deore
BREMSEN | BRAKES: Shimano M416, mechanical Disc-Brake, Front / Rear: 160 mm
EXTRAS | EXTRAS: Schwalbe Smart Sam Tires





RAM XF-902

RAHMEN FRAME:	26" Univega Dirt, alloy
GABEL FORK:	SR Suntour XCT, adjustable
SCHALTUNG DRIVETRAIN:	24-Gang Shimano Alivio
BREMSEN BRAKES:	Front: mechanical Disc-Brake, Rear: Tektro, V-Brake, Front: 160 mm
EXTRAS EXTRAS:	Shimano STI Shifter, Trail Trax Tires



AUS DEUTSCHEN LANDEN FRISCH ANS BIKE.

Technik | Vollhydraulische Scheibenbremse mit automatischer Belagsnachstellung, Individuelle BAT Druckpunkteinstellung, Quickfit Lenkerbefestigung für superschnellen An- und Abbau.
Garantie | 5 Jahre auf Dichtheit.

Von MAGURA, den Vorstopperrn aus Deutschlands wildem Süden.

Louise
DAT



MADE IN
GERMANY



THE PASSION PEOPLE

Deutschland | MAGURA Bike Parts GmbH + Co. KG | Heinrich-Kahn-Strasse 24 | D-89150 Leichlingen | info@magura-bikeparts.de
Hotline | Helpdesk | Phone 09001-649124 (Ein Anruf aus dem deutschen Festnetz, 41 ct./Minute) | Fax 07333-962651 | service@magura.de
www.magura.com



RAM XF-900

RAHMEN | FRAME: 26" Univega Dirt, alloy
GABEL | FORK: SR Suntour XCT, adjustable
SCHALTUNG | DRIVETRAIN: 21-Gang Shimano Acera
BREMSEN | BRAKES: Tektro, V-Brake
EXTRAS | EXTRAS: Shimano STI Shifter, Trail Trax Tires



RAM SOLO-XXVI DISC

RAHMEN | FRAME: 26" Univega Dirt Extreme, horizontal Dropout, alloy
GABEL | FORK: RST Launch, Rebound, 100 mm
SCHALTUNG | DRIVETRAIN: Single Speed
BREMSEN | BRAKES: Tektro Auriga Comp, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS | EXTRAS: Schwalbe Table Top Tires, Half Link Chain





RAM SOLO-XXVI

RAHMEN FRAME:	26" Univega Full CRMO Single Speed Dirt, monostay
GABEL FORK:	SR Suntour XCM, hydraulic Lockout, 80 mm
SCHALTUNG DRIVETRAIN:	Single Speed
BREMSEN BRAKES:	V-Brake, alloy
EXTRAS EXTRAS:	Frame Disc-Ready



RAM SOLO-XXIX

RAHMEN FRAME:	26" Univega Full CRMO Single Speed Dirt
GABEL FORK:	rigid CRMO
SCHALTUNG DRIVETRAIN:	Single Speed
BREMSEN BRAKES:	Avid Ball Bearing 5, Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS EXTRAS:	Truvativ Firex Crankset



RAM BX-KING

RAHMEN | FRAME:

GABEL | FORK:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

20" Univega Dirt Street Full CRMO
rigid CRMO

Tektro, V-Brake

Tubular Spline 3-Piece Crankset

FOR YOUR PLAYGROUND
Zeige deine Skillz: Mit der BX Serie bist du auf Rampe,
Street oder Dirt ganz weit vorn.

FOR YOUR PLAYGROUND
Show your skillz: with the BX series, you're way out in
front – on the ramp, on the street or out in the dirt.

RAM SERIES

RAM ES SERIES | RAM XF / SOLO SERIES | RAM BX SERIES



UNIVEGA



RAM BX-COUNT

RAHMEN FRAME:	20" Univega BMX Hi-Ten
GABEL FORK:	rigid CRMO
BREMSEN BRAKES:	Tektro, V-Brake
EXTRAS EXTRAS:	14mm Axles with freecoaster, Steel Jump Crankset




RAM BX-PRINCE



RAHMEN FRAME:	20" Univega BMX CRMO
GABEL FORK:	CRMO Blade
BREMSEN BRAKES:	Tektro, V-Brake
EXTRAS EXTRAS:	Tubular Spline 3-Piece Crankset, Sunringle ZX25 Rims





RAM BX-EARL

RAHMEN | FRAME: 20" Univega BMX Hi-Ten
GABEL | FORK: Hi-Ten Blade
BREMSEN | BRAKES: Tektro, V-Brake,
EXTRAS | EXTRAS: 14mm Axles with pegs,
Prowheel Crankset



RAM BX-DUKE

RAHMEN | FRAME: 20" Univega BMX Hi-Ten
GABEL | FORK: Hi-Ten Blade
BREMSEN | BRAKES: C-Star, V-Brake,
EXTRAS | EXTRAS: Steel Jump Crankset, Ace C303 rims



RAM BX-DYNO

RAHMEN | FRAME: 20" Univega BMX Hi-Ten
GABEL | FORK: Hi-Ten Blade
BREMSEN | BRAKES: C-Star, V-Brake
EXTRAS | EXTRAS: Steel Jump Crankset, C-Star V-Brakes



VIA



RenRad
PREIS-/LEISTUNGS-TIPP

Ausgabe: Jan/Feb 2008
Ergebnis: „Das Mountain King ist viel mehr als nur ein Klettermaxe! Dank variabler Einsatzmöglichkeiten samt 1A-Ausrüstung weist das Univega keine Schwächen auf.“

VIA MOUNTAIN KING TEAM

RAHMEN FRAME:	28" Univega Race, High Modular Carbon, UD-Finish
GABEL FORK:	Univega Race, High Modular Carbon, UD-Finish
SCHALTUNG DRIVETRAIN:	20-Gang Shimano Dura-Ace
BREMSEN BRAKES:	Shimano Dura-Ace
LAUFRÄDER WHEELSET:	Mavic Ksyrium SL
EXTRAS EXTRAS:	Superlight Parts (FSA K-Force Stem, FSA K-Force Handlebar, FSA K-Force Seatpost)

KILOMETERFRESSER AUFGEPASST!
Unsere Ingenieure haben gemeinsam mit dem Univega Pro Cycling Team die Modellreihe 2009 bis zum bestmöglichen Ergebnis weiter optimiert. Unsere High-Performance-Bikes bieten alles, was ein richtiges Racer-Herz begehrt.

GO THE DISTANCE!
Together with the Univega Pro Cycling Team, our engineers have optimised our 2009 model range to achieve the best possible results. Our high-performance bikes offer everything committed racing bikers could wish for.

VIA SERIES

VIA SERIES



UNIVEGA

Ausgabe: Jan/Feb 2008
 „Das Strato Pro Carbon ist der ideale Partner
 für lange Touren mit leicht sportlichem Charakter.“



VIA STRATON PRO CARBON

RAHMEN FRAME:	28" Univega Race, High Modular Carbon, UD-Finish
GABEL FORK:	Univega Race, High Modular Carbon, UD-Finish
SCHALTUNG DRIVETRAIN:	20-Gang Shimano Ultegra Ice
BREMSEN BRAKES:	Shimano Ultegra Ice
LAUFRÄDER WHEELSET:	Fulcrum Racing 7
EXTRAS EXTRAS:	Concept X-treme Parts, Foldable Vittoria Zaffiro Pro Tires



VIA MODENA PRO

RAHMEN FRAME:	28" Univega Race, triple butted, alloy
GABEL FORK:	Univega Race, High Modular Carbon
SCHALTUNG DRIVETRAIN:	20-Gang Shimano Ultegra Ice
BREMSEN BRAKES:	Shimano Ultegra Ice
LAUFRÄDER WHEELSET:	Fulcrum Racing 7
EXTRAS EXTRAS:	Foldable Vittoria Zaffiro Pro Tires



Ausgabe: April 2008
 Ergebnis: „sehr gut/Kauftipp“



Ausgabe: Mai 2008
 Ergebnis: „sehr gut“

Ausgabe: Mai 2008
„Univega rundet 2008 beim Antaris Pro das Bild weiter ab und gibt eine 105er-Kurbel mit auf den Weg. Nicht zuletzt deswegen ist der Renner auf jeden Fall eine günstige Kaufempfehlung.“

Ausgabe: Juni 2008
Ergebnis: „gut“

Ausgabe: Juni 2008
Ergebnis: „gut“



VIA ANTARIS PRO

RAHMEN FRAME:	28" Univega Race, double butted, alloy
GABEL FORK:	Univega Race, High Modular Carbon
SCHALTUNG DRIVETRAIN:	30-Gang Shimano 105 Black
BREMSEN BRAKES:	FSA Gossamer
LAUFRÄDER WHEELSET:	Shimano RS10
EXTRAS EXTRAS:	Concept SL Parts



VIA LASER

RAHMEN FRAME:	28" Univega Race, double butted, alloy
GABEL FORK:	Univega Race, High Modular Carbon
SCHALTUNG DRIVETRAIN:	27-Gang Shimano Tiagra
BREMSEN BRAKES:	Shimano Tiagra
LAUFRÄDER WHEELSET:	Shimano RS10
EXTRAS EXTRAS:	Concept SL Parts



TERRENO 950

RAHMEN | FRAME:

28" Univega Cross, High Modular Carbon, UD-Finish

GABEL | FORK:

SR Suntour NCX-E-RL, AIR, hydraulic Remote Lockout, magnesium 27-Gang SRAM X.0

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

Hayes Stroker Trail, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm

EXTRAS | EXTRAS:

Concept X-treme Parts, Shimano SLX Crankset

DAS BESTE AUS ZWEI WELTEN
Robust + sportlich + komfortabel = Cross Allrounder. So einfach lautet unsere
Formel für den richtigen Drive auf der und neben der Straße. Die Terreno Serie
macht es möglich und verbindet Rennmaschine mit Offroadler.

BEST OF BOTH WORLDS
Robust + sporty + comfortable = Cross Allrounder. It sounds simple,
and it is: our formula for a great ride, on or off the street. The Terreno series
makes it possible, combining racing bikes with offroaders.



TERRENO SERIES

TERRENO SERIES

UNIVEGA



TERRENO 900

RAHMEN | FRAME:
GABEL | FORK:

28" Univega Cross, triple butted, Zero Stack, alloy
SR Suntour NCX-E-RL, AIR,
hydraulic Remote Lockout, magnesium

SCHALTUNG | DRIVETRAIN:
BREMSEN | BRAKES:

27-Gang Shimano XT
Shimano XT, hydraulic Disc-Brake,
Front: 180 mm / Rear: 160 mm

EXTRAS | EXTRAS:

Concept X-treme Parts, Full Shimano XT Parts



TERRENO 700

RAHMEN | FRAME:
GABEL | FORK:
SCHALTUNG | DRIVETRAIN:
BREMSEN | BRAKES:

28" Univega Cross, with hydro gusset, Zero Stack, alloy
Univega Verso, Remote Lockout, magnesium
27-Gang Shimano SLX
Shimano SLX, hydraulic Disc-Brake,
Front: 180 mm / Rear: 160 mm

EXTRAS | EXTRAS:

Concept X-treme Parts, Full Shimano SLX Parts





TERRENO 500

RAHMEN FRAME:	28" Univega Cross, with hydro gusset, Zero Stack, alloy
GABEL FORK:	Univega Verso, hydraulic Lockout, magnesium
SCHALTUNG DRIVETRAIN:	27-Gang Shimano XT
BREMSEN BRAKES:	Avid Juicy Three, hydraulic Disc-Brake, Front: 185 mm / Rear: 160 mm
EXTRAS EXTRAS:	Concept X-treme Parts, Foldable Schwalbe Racing Ralph Evolution Tires



TERRENO 450

RAHMEN FRAME:	28" Univega Cross, triple butted, Zero Stack, alloy
GABEL FORK:	SR Suntour NCX-D-LO, hydraulic Lockout, magnesium
SCHALTUNG DRIVETRAIN:	27-Gang Shimano Deore
BREMSEN BRAKES:	Shimano Deore, V-Brake
EXTRAS EXTRAS:	Superlight Concept X-treme/CSL Parts, Light Shimano M543 Crankset



Ausgabe: Jan/Feb 2008
Ergebnis: „sehr gut“

TERRENO SERIES



TERRENO 400

RAHMEN | FRAME: 28" Univega Cross, Zero Stack, alloy
GABEL | FORK: Univega Verso, mechanical Lockout
SCHALTUNG | DRIVETRAIN: 27-Gang Shimano SLX
BREMSEN | BRAKES: Tektro Auriga Comp, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS | EXTRAS: Ergonomic package: suspension Seatpost, adjustable Stem



TERRENO 400 XXL

RAHMEN | FRAME: 28" Univega Cross XXL, Zero Stack, alloy
GABEL | FORK: Univega Verso TNL XXL, stronger springs, hydraulic Lockout
SCHALTUNG | DRIVETRAIN: 27-Gang Shimano SLX
BREMSEN | BRAKES: Tektro Auriga Comp, hydraulic Disc-Brake, Front: 180 mm / Rear: 160 mm
EXTRAS | EXTRAS: Stiff Octalink Crankset, Duplex Double Wall Rims





TERRENO 300

RAHMEN FRAME:	28" Univega Cross, Zero Stack, alloy
GABEL FORK:	Univega Verso, mechanical Lockout
SCHALTUNG DRIVETRAIN:	27-Gang Shimano Deore
BREMSEN BRAKES:	Shimano M422, V-Brake
EXTRAS EXTRAS:	Ergonomic package: suspension Seatpost, adjustable Stem



TERRENO 200

RAHMEN FRAME:	28" Univega Cross, Zero Stack, alloy
GABEL FORK:	SR Suntour NEX-4110, adjustable
SCHALTUNG DRIVETRAIN:	24-Gang Shimano Deore
BREMSEN BRAKES:	Black Comp, V-Brake
EXTRAS EXTRAS:	Ergonomic package: suspension Seatpost, adjustable Stem



Ausgabe: Jan/Feb 2008
Ergebnis: „sehr gut“

GEO TR-70

RAHMEN | FRAME:

28" Univega Speedtrekking, no suspension,
Zero Stack, alloy

GABEL | FORK:

Univega Speedtrekking, Carbon

SCHALTUNG | DRIVETRAIN:

27-Gang Shimano XT

BREMSEN | BRAKES:

Shimano Deore LX, V-Brake

EXTRAS | EXTRAS:

Superlight Racktime Stand-IT Light alloy
Carrier, Battery Front- & Backlight

GEO SERIES

GEO SERIES

SPORTIVE THROUGH THE CITY

Zur Arbeit, zum Shoppen oder ins Café? Fahrvergnügen wie bei einem Mountainbike kombiniert mit der Stärke eines Rennrades. Diese Merkmale vereint die Geo Serie. Schnell wie ein Rennrad und robust wie ein Mountainbike hält dieses Fahrrad den Spaßpegel am oberen Limit.

SPORTIVE THROUGH THE CITY

Riding to work, going shopping or to the café? The fun you get with a mountain bike, combined with the power of a racer. Features that the Geo series offers in one. As fast as a racing bike and as robust as a mountain bike, this one keeps the fun gauge pushed to the upper limit.



RAPIDFIRE
Plus



Shimano
Crankset

UNIVEGA



GEO TR-50

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

28" Univega Speedtrekking, no suspension, Zero Stack, alloy

Univega Speedtrekking, alloy

27-Gang Shimano SLX

Shimano Deore, V-Brake

Shimano SLX Crankset, Battery Front- & Backlight



GEO TR-30

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

28" Univega Trekking, no suspension, Zero Stack, alloy

Univega Speedtrekking, alloy

27-Gang Shimano Deore

Concept SL, V-Brake

FSA Crankset, Battery Front- & Backlight





Shimano
Crankset



GEO XC

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

26" Univega MTB, alloy

SR Suntour NEX-4600, mechanical Lockout

24-Gang Shimano Deore LX

Concept SL, V-Brake

Smooth running Shimano 3N30 Hub Dynamo, alloy Barends



GEO EIGHT

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

26" Univega MTB, alloy

Suspension Fork, Inverse V-Brake

8-Gang Shimano Nexus

Black Comp, V-Brake

Smooth running Shimano 3N20 Hub Dynamo, alloy Barends

UNIVEGA



GEO ONE

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

26" Univega MTB, alloy

SR Suntour M2000N, adjustable

24-Gang Shimano Deore

Black Comp, V-Brake

Smooth running Shimano 3N20 Hub Dynamo, alloy Barends



GEO SPEED

RAHMEN | FRAME:

GABEL | FORK:

SCHALTUNG | DRIVETRAIN:

BREMSEN | BRAKES:

EXTRAS | EXTRAS:

26" Univega MTB, Zero Stack, alloy

Univega MTB, carbon, straight fork

27-Gang Shimano SLX

Tektro Auriga Comp, hydraulic Disc-Brake

Front: 180 mm / Rear: 160 mm

Foldable Schwalbe Marathon Supreme Tires, Fizik Saddlepack



www.abus-relations.de



*Jetzt auch als
Zahlenschloss!*

Bordo. Das Schloss.
KOMPAKT. LEICHT. FLEXIBEL.



bordo-das-schloss.de



ALPINA SL-240

RAHMEN FRAME:	24" Univega Full Suspension, alloy
GABEL FORK:	Spinner Grind, adjustable
FEDERBEIN REAR SHOCK:	Kind Shock, mechanical spring
TRETLAGER CRANKSET:	3R Suntour alloy
SCHALTUNG DRIVETRAIN:	21 Gang Shimano Acera
BREMSEN BRAKES:	V-Brake, alloy
EXTRAS EXTRAS:	CST, MTB Tires

ALPINA KIDS SERIES

READY TO RUMBLE

Unsere tollen Spaßmobile für die Kleinen.
Mit diesen gut und sicher ausgestatteten Bikes wird jede
Radtour mit den Eltern zum Riesenspaß.

READY TO RUMBLE

Our great funmachines for the little ones.
With these well and save equiped bikes every bicycle
tour with parents will be great fun.





ALPINA HT-500


RAHMEN FRAME:	20" Univega MTB, alloy
GABEL FORK:	Spinner Grind, Lockout
TRETLAGER CRANKSET:	SR Suntour XCC-152
SCHALTUNG DRIVETRAIN:	24 Gang Shimano Deore LX
BREMSEN BRAKES:	V-Brake, alloy
EXTRAS EXTRAS:	Rims Double Wall, alloy, Kenda MTB Tires



ALPINA HT-300

RAHMEN FRAME:	20"/24" Univega MTB, alloy
GABEL FORK:	SR Suntour M2025
TRETLAGER CRANKSET:	SR Suntour XCC-152
SCHALTUNG DRIVETRAIN:	21 Gang Shimano Acera
BREMSEN BRAKES:	V-Brake, alloy
EXTRAS EXTRAS:	Kenda MTB Tires





ALPINA HT-SPORT

RAHMEN FRAME:	20" Univega MTB, alloy
GABEL FORK:	Spinner Grind, Lockout
TRETLAGER CRANKSET:	SR Suntour XCC-152
SCHALTUNG DRIVETRAIN:	21 Gang Shimano Acera
BREMSEN BRAKES:	V-Brake, alloy
EXTRAS EXTRAS:	Kenda MTB Tires

UNIVEGA

ALPINA HT SERIES


MODELL	HT-UPCT X.0	HT UPCT XTR	HT-590	HT-580	HT-570	HT-560	HT-550	HT-540	HT-530	HT-510
RAHMEN FRAME	26" Univega MTB High Modular Carbon Delta Box II Frame with Carbon Dropout	26" Univega MTB, High Modular Carbon, DeltaBox II, with Carbon Dropout	26" Univega MTB, High Modular Carbon, DeltaBox II, with Carbon Dropout	26" Univega MTB, High Modular Carbon, DeltaBox II, with Carbon Dropout	26" Univega MTB, Hydroforce, alloy	26" Univega MTB, Hydroforce, alloy	26" Univega MTB, double butted, alloy	26" Univega MTB, double butted, alloy	26" Univega MTB, alloy, Zero Stack	26" Univega MTB, alloy, Zero Stack
GABEL FORK	Fox 32-F100-RLC, 150 mm Axle, Platform	Fox 32-F100-RLC, 150 mm Axle	Rock Shox Reba-SL, Air, Poploc, 100 mm	Manitou Drake Super, Platform Fork	Manitou R7 Super, Air, Rebound, Platform, 100 mm	Rock Shox Recon-SL, Air, Poploc, 100 mm	Rock Shox Tora-SL, Coil, 100 mm	Marzocchi 22, Lockout, 100 mm	SR Suntour XCM, hydraulic Lockout	SR Suntour XCM, hydraulic Lockout
GANG SPEED	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang
SCHALTWERK DRIVETRAIN	SRAM X.0	Shimano XTR, Shadow	Shimano XT, Shadow	Shimano XT, Shadow	Shimano XT, Shadow	Shimano XT, Shadow	Shimano XT, Shadow	Shimano Deore	Shimano SLX, Shadow	Shimano SLX, Shadow
SCHALTHEBEL SHIFTER	SRAM X.0 Trigger	Shimano XT	Shimano SLX	Shimano Deore	Shimano SLX	Shimano SLX	Shimano SLX	Shimano Deore	Shimano Deore	Shimano Deore
TRETLAGER CRANKSET	Truvativ Noir 3.3 Carbon	Truvativ Noir 3.3 Carbon	Shimano SLX	Truvativ Firex 3.1	Shimano XT	Shimano M542	Shimano IM433, Octalink	Truvativ Firex 3.1	FSA CK-306	FSA CK-306
INNENLAGER BOTTOM BRACKET:	GXP Team	GXP Team	included BB	GXP	included BB	included BB	Shimano ES25	GXP	Shimano UN26	Shimano UN26
ÜBERSETZUNG GEARING RATIO	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-34	front: 44/32/22, rear: 11-34	front: 44/32/22, rear: 11-34	front: 44/32/22, rear: 11-34	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32
LENKER HANDLEBAR	FSA Flatbar OS-130, Carbon Wrap	Concept X-treme Flatbar, alloy	Concept X-treme Flatbar, alloy	Concept SL Riserbar, alloy	Concept X-treme Riserbar, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Concept X-treme Flatbar, alloy	Concept SL Riserbar, alloy	Black Comp Riserbar, alloy
VORBAU STEM	FSA OS-99, Carbon-Wrap, A-Head	FSA OS-99, alloy 7050, A-Head	Concept X-treme, alloy, A-Head	Concept SL, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept SL, alloy, A-Head	Concept SL, alloy, A-Head	Concept SL, alloy, A-Head	Black Comp, alloy, A-Head	Black Comp, alloy, A-Head
SATTEL SADDLE	Fizik Tundra	Fizik Pave CX	Concept X-treme, CroMo Rails	Concept SL	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept SL	Concept SL	Concept SL	Velo VL1205
SATTELSTÜTZE SEATPOST	FSA K-Force RK-160, Carbon	FSA SL-240 Carbon Pro	Concept X-treme, patent, alloy	Concept SL, patent, alloy	Concept X-treme, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	Concept X-treme, patent, alloy	Concept SL, patent, alloy	Black Comp, patent, alloy
BREMSEN BRAKES	Avid Elixir CR Carbon, hydraulic Disc-Brake	Avid Elixir CR, hydraulic Disc-Brake	Hayes Stroker Trail, hydraulic Disc-Brake	Hayes Stroker Ryde, hydraulic Disc-Brake	Avid Elixir R, hydraulic Disc-Brake	Hayes Stroker Ryde, hydraulic Disc-Brake	Avid Juicy Three, hydraulic Disc-Brake	Avid Single Digit Five, V-Brake, alloy	Tektro Auriga Pro, hydraulic Disc-Brake	Concept SL, V-Brake, alloy
BREMSSCHEIBE ROTOR	front: 185 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	-
LAUFRÄDER WHEELSET	front/rear: Mavic Crossmax SLR, 559-17, Disc, Quick Release	-	front/rear: DT Swiss X-1900, 559-19, Disc, Quick Release	-	-	-	-	-	-	-
FELGEN RIMS	-	DT-Swiss X455, eyed, Disc, 559-17, alloy	-	Alex EN24, eyed, Disc, 559-19, alloy	Alex XCR1000, eyed, Anodized, Disc, 559-18, alloy	Alex EN24, eyed, Disc, 559-19, alloy	Alex EN24, eyed, Disc, 559-19, alloy	Alex Ace 19, 559-17, alloy	Alex X2100, 559-19, alloy	Double Wall Yak, 559-19, alloy
NABEN HUBS	-	front: Shimano XT, Disc, 150 mm Axle, rear: Shimano XT, Disc, Quick Release	-	front/rear: Concept SL, Disc, Quick Release	front/rear: Concept SL, Disc, Quick Release	front/rear: Concept SL, Disc, Quick Release	front/rear: Concept SL, Disc, Quick Release	front/rear: Shimano Deore, Quick Release	front: alloy, sealed, Quick Release; rear: alloy, sealed, Disc, Quick Release	front: alloy, sealed, Quick Release; rear: alloy, sealed, Quick Release
BEREIFUNG TYRE	Schwalbe Rocket Ron, Evolution foldable, 57-559 Disc	Schwalbe Rocket Ron, Evolution foldable, 57-559	Schwalbe Nobby Nic, foldable, 57-559	Schwalbe Nobby Nic, foldable, 57-559	Schwalbe Nobby Nic, foldable, 57-559	front: Schwalbe Nobby Nic, foldable, 57-559 rear: Schwalbe Racing Ralph, Evolution foldable, 57-559	Schwalbe Racing Ralph, Evolution foldable, 57-559	front: Schwalbe Rocket Ron, Evolution foldable, 57-559, rear: Schwalbe Furious Fred, Evolution foldable, 57-559	Schwalbe Smart Sam, 54-559	Schwalbe Smart Sam, 57-559
PEDALE PEDAL	-	-	-	-	-	-	-	-	-	-
FARBE COLOUR	carbon UD/UPCT white	carbon UD/UPCT white	UPCT white/sidgreen	carbon UD/blue	alabamablack matt	sudanbrown/white	signalred/white	torontogrey/white matt	magicblack/merlotred matt	nerogrey/sterlingsilver matt
RAHMENHÖHE FRAME SIZE	43, 48, 53 cm	43, 48, 53 cm	43, 48, 53 cm	43, 48, 53 cm	43, 48, 53, 56 cm	43, 48, 53, 56 cm	40, 45, 50, 55 cm	40, 45, 50, 55 cm	40, 45, 50, 55 cm	40, 45, 50, 55 cm

ALPINA SKY SER. RAM ES SERIES

MODELL	SL-SKY	HT-SKY PRO	HT-SKY	ES-990	ES-970	ES-950
RAHMEN FRAME	26" Univega 4-link-support Lady Advanced, alloy	26" Univega MTB Lady Advanced, alloy	26" Univega MTB Lady Advanced, alloy	26" Univega 4-link-support Mission, alloy	26" Univega 4-link-support Mission, alloy	26" Univega 4-link-support Hydroforce, alloy
GABEL FORK	Rock Shox Recon-SL, Air, Poploc, 100 mm	Rock Shox Tora-SL, Coil, Poploc, 100 mm	SR Suntour XCR, Remote Lockout	Fox 36-Talax RC2, Air, 200 mm Axle, Travel Adjust 100-160 mm	Fox 32-Talax RLC, Air, 150 mm Axle, Travel Adjust 100-140 mm	Rock Shox Reba-SL, Air, Poploc
FEDERBEIN REAR SHOCK	X-Fusion O2 RPV, Air, Rebound	-	-	Fox Float RP23, Air, 3-Position Adjuster	Fox Float RP23, Air, 3-Position Adjuster	Fox Float RP23, Air, 3-Position Adjuster
GANG SPEED	27 Gang	27 Gang	27 Gang	18 Gang	27 Gang	27 Gang
SCHALTWERK DRIVETRAIN	Shimano XT, Shadow	Shimano XT, Shadow	Shimano XT	SRAM X.0	SRAM X.0	Shimano XT, Shadow
SCHALTHEBEL SHIFTERS	Shimano SLX	Shimano Deore	Shimano Deore	SRAM X.0 Trigger	SRAM X.0 Trigger	Shimano XT
TRETLAGER CRANKSET	Truvativ Stylo 3.3	Shimano M521, Octalink	FSA CK-306	Truvativ Stylo OCT 2.2 AM	Truvativ Stylo OCT 3.3	Shimano XT
ÜBERSETZUNG GEARING RATIO	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 36/24, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-34
LENKER HANDLEBAR	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Concept X-treme Riserbar, alloy	Concept X-treme Riserbar, alloy	Concept X-treme Riserbar, alloy
VORBAU STEM	Concept X-treme, alloy, A-Head	Concept SL, adjustable, alloy, A-Head	Concept SL, adjustable, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept X-treme, alloy, A-Head
SATTEL SADDLE	Concept SL Lady	Concept SL Lady	Concept SL Lady	Fizik Gobi XM	Fizik Gobi XM	Concept X-treme, CroMo
SATTELSTÜTZE SEATPOST	Concept X-treme, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	Concept X-treme, patent, alloy	Concept X-treme, patent, alloy	Concept X-treme, patent, alloy
BREMSEN BRAKES	Hayes Stroker Trail, hydraulic Disc-Brake	Avid Juicy Three, hydraulic Disc-Brake	Shimano M422, V-Brake	Avid Code, hydraulic Disc-Brake	Avid Elixir CR, hydraulic Disc-Brake	Avid Elixir R, hydraulic Disc-Brake
BREMSSCHEIBE ROTOR	front: 180 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	-	front: 203 mm, rear: 185 mm	front/rear: 185 mm	front/rear: 185 mm
LAUFRÄDER WHEELSET	front/rear: Mavic Crossride, 559-19, Disc, Quick Release	-	-	front/rear: Mavic Crossmax SX, 559-21, Disc, front: Axle/ rear: Quick Release	front/rear: DT Swiss X-1800, 559-19, Disc, front: Axle/ rear: Quick Release	front/rear: Fulcrum Red Metal 5, 559-19, Disc, Quick Release
FELGEN RIMS	-	Concept SL, eyed, Disc, 559-17, alloy	Rodi Vision, eyed, 559-19, alloy	-	-	-
NABEN HUBS	-	front/rear: Concept SL, Disc, Quick Release	front/rear: Shimano RM60, Quick Release	-	-	-
BEREIFUNG TYRE	Schwalbe Racing Ralph, Evolution foldable, 57-559	Schwalbe Racing Ralph, Evolution foldable, 57-559	Schwalbe Big Betty, foldable, 62-559	Schwalbe Fat Albert, foldable, 60-559	Schwalbe Nobby Nic, foldable, 57-559	-
PEDALE PEDAL	alloy, light	alloy, light	alloy cage	-	-	-
FARBE COLOUR	palmersilver/sudanbrown matt	palmersilver/sudanbrown matt	snowwhite/fuchsia matt	torontogrey/glaze bronze	white/glaze green	magicblack/white
RAHMENHÖHE FRAME SIZE	40, 44, 48 cm	40, 45, 50 cm	40, 45, 50 cm	39, 43, 48 cm	39, 43, 48 cm	43, 48, 53 cm



ALPINA SL SERIES

	HT-500	HT-300		SL-UPCT	SL-9	SL-7	SL-5	SL-3	SL-1	MODELL
	26" Univega MTB, alloy, Zero Stack	26" Univega MTB, alloy		26" Univega 4-link-support, High Modular Carbon, Deltabox II	26" Univega 4-link-support, High Modular Carbon, Deltabox II	26" Univega 4-link-support, Hydroforce, alloy	26" Univega 4-link-support, Hydroforce, alloy	26" Univega 4-link-support, alloy	26" Univega 4-link-support, alloy	RAHMEN FRAME
	SR Suntour XCT, mechanical Lockout	SR Suntour XCT, adjustable		Fox 32-F100-RL, Air, 150 mm Axle, Platform, 100 mm	Rock Shox SID Race, Air, Poploc, 100 mm	Fox 32-F100-RL, Air, Platform, 100 mm	Rock Shox Recon-Race, Air, Poploc, 100 mm	Marzocchi 33, Lockout, 100 mm	RST Gila, Lockout, 100 mm	GABEL FORK
	24 Gang	21 Gang		Fox Float RP23, Air, 3-Position Adjuster	Manitou S-Type SRL Air, Platform, Lockout	Fox Float RP23, Air, 3-Position Adjuster	Rock Shox Monarch 3.1, Air, Platform	X-Fusion 02 RVP, Air, Lockout	DNM A030RC, Air, Lockout	FEDERBEIN REAR SHOCK
	Shimano Deore	Shimano Acera		27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	GANG SPEED
	Shimano STI Shifter	Shimano STI Shifter		Shimano XTR, Shadow	SRAM X.0	Shimano XTR, Shadow	SRAM X.9	Shimano XT, Shadow	Shimano SLX, Shadow	SCHALTWERK DRIVETRAIN
	SR Suntour XCC-102, with chaincase cover sealed Cartridge	SR Suntour XCC-102, with chaincase cover sealed Cartridge		Shimano XT	SRAM X.9 Trigger	Shimano XT	SRAM X.7 Trigger	Shimano Deore	Shimano Deore	SCHALTBEHEL SHIFTERS
	front: 42/34/24, rear: 11-30	front: 42/34/24, rear: 11-30		Shimano XTR	Shimano XT	Truvativ Stylo 3.3	Truvativ Firex 3.3	Shimano M433, Octalink	FSA CK-306	TRETLAGER CRANKSET
	Black Comp Riserbar, alloy	Riserbar		front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-34	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	front: 44/32/22, rear: 11-32	ÜBERSETZUNG GEARING RATIO
	Black Comp, alloy, A-Head	Black Comp, alloy, A-Head		FSA Riserbar OS-220A, Carbon Wrap	FSA Riserbar OS-282A, alloy	FSA Riserbar OS-282A, alloy	FSA Riserbar OS-282A, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	LENKER HANDLEBAR
	Velo VL1205	Selle Royal Mach		FSA OS-99, alloy 7050, A-Head	FSA OS-190, alloy, A-Head	FSA OS-150C, alloy, A-Head	Concept SL, alloy, A-Head	Concept SL, alloy, A-Head	Concept SL, alloy, A-Head	VORBAU STEM
	Black Comp, patent, alloy	Black Comp, patent, alloy		Fizik Arione	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept SL	SATTEL SADDLE
	Tektro, V-Brake, alloy	Tektro, V-Brake, alloy		FSA SL-240, Carbon Pro	Concept X-treme, patent, alloy	FSA FR-270, alloy	Concept X-treme, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	SATTELSTÜTZE SEATPOST
	-	-		Avid Elixir CR Carbon, hydraulic Disc-Brake	Avid Juicy Seven, hydraulic Disc-Brake	Avid Elixir CR, hydraulic Disc-Brake	Hayes Stroker Trail, hydraulic Disc-Brake	Hayes Stroker Ryde, hydraulic Disc-Brake	Tektro Auriga Comp, hydraulic Disc-Brake	BREMSEN BRAKES
	-	-		front: 185 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	BREMSSCHEIBE ROTOR
	Double Wall Yak, 559-19, alloy	Double Wall Yak, 559-19, alloy		front/rear: Mavic Crossmaxx SLR, 559-17, Disc, front: Axle/rear: Quick Release	-	-	-	-	-	LAUFRÄDER WHEELSET
	front: alloy, sealed, Quick Release rear: alloy, sealed	front: alloy, sealed, Quick Release rear: alloy, sealed		-	Alex EN24, eyed, Disc, 559-19, alloy	Alex XCR1000, eyed, Anodized, Disc, 559-18, alloy	Alex EN24, eyed, Disc, 559-19, alloy	Alex EN24, eyed, Disc, 559-19, alloy stainless, black	Alex X2100, Disc, 559-19, alloy	FELGEN RIMS
	Trail Trax, 57-559	Trail Trax, 57-559		-	front: DT-Swiss FW370, Disc, Quick Release rear: DT-Swiss RW370, Disc, Quick Release	front/rear: Shimano Deore XT, Disc, Quick Release	front/rear: Concept X-treme, Disc, Quick Release	front/rear: Shimano M475, Disc, Quick Release	front: alloy, sealed, Quick Release rear: alloy, sealed, Disc, Quick Release	NABEN HUBS
	-	-		Schwalbe Rocket Ron, Evolution foldable, 57-559	Schwalbe Rocket Ron, Evolution foldable, 57-559	Schwalbe Nobby Nic, foldable, 57-559	Schwalbe Nobby Nic, foldable, 57-559	Schwalbe Nobby Nic, foldable, 57-559	Schwalbe Nobby Nic, Evolution, 57-559	BEREIFUNG TYRE
	-	-		-	-	-	alloy, light	alloy cage	alloy cage	PEDALE PEDAL
	white	magicblack		carbon UD/UPCT white	carbon UD/blue	alabamablack matt	signalred/white	magicblack/merlotred matt	nebergrey/sterlingsilver merlotred	FARBE COLOUR
	40, 45, 50, 55 cm	40, 45, 50, 55 cm	43, 48, 53 cm	43, 48, 53 cm	43, 48, 53 cm	43, 48, 53 cm	42, 47, 52, 56 cm	42, 47, 52, 56 cm	RAHMENHÖHE FRAME SIZE	

RAM XF SERIES

RAM SOLO SERIES

	XF-932	XF-922	XF-912	XF-906	XF-902	XF-900	SOLO-XXVI Disc	SOLO-XXVI	SOLO-XXIX	MODELL
	26" Univega Dirt Expert, horizontal drop out, alloy	26" Univega Dirt Expert, horizontal drop out, alloy	26" Univega Dirt Pro, alloy	26" Univega Dirt Pro, alloy	26" Univega Dirt, alloy	26" Univega Dirt, alloy	26" Univega Dirt, horizontal drop out, alloy	26" Univega Full CrMo Single Speed Dirt, monostay, Disc-Ready	26" Univega Full CrMo Single Speed Dirt	RAHMEN FRAME
	Marzocchi Dirt Jumper 2, Rebound, 100 mm	Marzocchi Dirt Jumper 3, 100 mm	RST Launch, Rebound, 100 mm	SR Suntour XCT, adjustable	SR Suntour XCT, adjustable	SR Suntour XCT, adjustable	RST Launch, Rebound, 100 mm	SR Suntour XCM, mechanical Lockout	rigid CrMo	GABEL FORK
	9 Gang	9 Gang	8 Gang	24 Gang	24 Gang	21 Gang	27 Gang	27 Gang	27 Gang	GANG SPEED
	SRAM X.9	Shimano SLX, Shadow	Shimano Deore	Shimano Deore	Shimano Alivio	Shimano Acera	Single Speed	Single Speed	Single Speed	SCHALTWERK DRIVETRAIN
	SRAM X.7 Trigger	Shimano Deore	Shimano Alivio	Shimano Alivio	Shimano STI Shifter	Shimano STI Shifter	-	-	-	SCHALTBEHEL SHIFTER
	Truvativ Hussefelt 1.0, with Bashguard	Truvativ Ruktion 1.0, with Bashguard	Truvativ Ruktion 1.0, with Bashguard	Shimano Altus	SR Suntour XCC-102	SR Suntour XCC-102	Truvativ Ruktion 1.0	FSA/RPM El Toro	Truvativ FireX	TRETLAGER CRANKSET
	Truvativ Howitzer	Truvativ Howitzer	Truvativ Howitzer	Shimano UN26	sealed Cartridge	sealed Cartridge	Truvativ Howitzer	FSA Platinum Bottom Bracket	sealed Cartridge	INNENLAGER BOTTOM BRACKET
	front: 34, rear: 11-32	front: 34, rear: 11-32	front: 34, rear: 11-32	front: 42/32/22, rear: 11-30	front: 42/34/24, rear: 11-30	front: 42/34/24, rear: 14-28	front: 34, rear: 14	front: 32, rear: 18	front: 34, rear: 14	ÜBERSETZUNG GEARING RATIO
	FSA Riserbar OS-282A, alloy	FSA Riserbar OS-282A, alloy	Black Comp Riserbar, alloy	Black Comp Riserbar, alloy	Black Comp Riserbar, alloy	Riserbar	FSA Riserbar OS-282A, alloy	Riserbar, alloy	Easton EA50 Riserbar, alloy	LENKER HANDLE BAR
	Dirt Pro, alloy, A-Head	Dirt Pro, alloy, A-Head	Dirt, alloy, A-Head	Dirt, alloy, A-Head	Dirt Pro, alloy, A-Head	Black Comp, alloy, A-Head	Dirt, alloy, A-Head	60 mm, A-Head	Easton EA30, alloy	VORBAU STEM
	Concept Dirt	Concept Dirt	Concept Dirt	Concept Dirt	Concept Dirt	Concept Dirt	Concept Dirt	Active Forming, Extra Grip	WTB Exi Wolf 29"	SATTEL SADDLE
	Concept X-treme, Patent, alloy	Concept X-treme, Patent, alloy	Black Comp, Patent, alloy	Black Comp, Patent, alloy	Black Comp, Patent, alloy	Black Comp, Patent, alloy	Concept X-treme, patent, alloy	alloy	Easton EA30, alloy	SATTELSTÜTZE SEATPOST
	Avid Juicy Five, hydraulic Disc-Brake	Avid Juicy Three, hydraulic Disc-Brake	Tektro Auriga Comp, hydraulic Disc-Brake	Shimano M416, mechanical Disc-Brake	front: Promax DSK-320, mechanical Disc-Brake, rear: Tektro, V-Brake, alloy	Tektro, V-Brake, alloy	Tektro Auriga Comp, hydraulic Disc-Brake	Alloy, V-Brake	Avid Ball Bearing 5, Disc-Brake	BREMSEN BRAKES
	front: 185 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front/rear: 160 mm	front: 160 mm	-	front: 180 mm, rear: 160 mm	-	-	BREMSSCHEIBE ROTOR
	front: Concept X-treme, Disc, 20 mm Axle rear: Concept X-treme, Disc, Quick Release	front/rear: Shimano M475, Disc, Quick Release	front/rear: Shimano M475, Disc, Quick Release	front/rear: Shimano RM65, Disc, Quick Release	front/rear: alloy, sealed, Quick Release	front: alloy, sealed, Quick Release rear: alloy	front: Concept X-treme, alloy, sealed rear: Concept X-treme, alloy, sealed, Single Speed	front: Formula, Disc, alloy rear: Formula, alloy	front/rear: Formula, Disc, alloy	NABEN HUBS
	Alex EN24, eyed, Disc, 559-19, alloy	Alex EN24, eyed, Disc, 559-19, alloy	Alex EN24, eyed, Disc, 559-19, alloy	Alex EN24, eyed, Disc, 559-19, alloy	Rodi Freeway Double Wall, 559-19, alloy	Double Wall Yak, 559-19, alloy	Alex EN24, eyed, Disc, 559-19, alloy	alloy, anodized black	WTB Speed Disc	FELGEN RIMS
	Schwalbe Table Top, 57-559	Schwalbe Table Top, 57-559	Schwalbe Table Top, 57-559	Schwalbe Smart Sam, 57-559	Bohle Trail Trax, 57-559	Bohle Trail Trax, 57-559	Schwalbe Table Top, 57-559	Kenda K-RAD, 62-559	WTB 29", 55-622	BEREIFUNG TYRE
	Dirt, alloy	Dirt, alloy	Dirt, alloy	Dirt, alloy	Dirt	Dirt	Dirt, alloy	Dirt, Cage alloy	Dirt	PEDALE PEDAL
	(1) picantoren matt, (2) kavagreen	(1) sudanbrown, (2) lipstick pink	alabamablack matt	white	sudanbrown matt	malachitgreen	sanlororange matt	white	dirty red	FARBE COLOUR
	40 cm	40 cm	36, 42 cm	36, 42 cm	36, 45, 50 cm	36, 45, 50 cm	40 cm	33, 38 cm	38, 42, 47 cm	RAHMENHÖHE FRAME SIZE

RAM BX SERIES

MODELL	BX KING	BX COUNT	BX RINCE	BX DUKE	BX EARL	BX DYNO
RAHMEN FRAME	20" Univega Dirt Street Full CrMo	20" Univega BMX Hi Ten	20" Univega BMX CrMo	20" Univega BMX Hi Ten	20" Univega BMX Hi Ten	20" Univega BMX Hi Ten
GABEL FORK	CrMo	CrMo	CrMo Blade	Hi Ten Blade	Hi Ten Blade	Hi Ten Blade
SCHALTWERK DRIVETRAIN	Single Speed	Single Speed	Single Speed	Single Speed	Single Speed	Single Speed
SCHALTHEEL SHIFTER	-	-	-	-	-	-
TRETLAGER CRANKSET	Univega Tubular Spline 3-Piece	Univega Steel Jump	Univega Tubular Spline 3-Piece	Univega Steel Jump	Univega Tubular Spline	Univega Steel Jump
INNENLAGER BOTTOM BRACKET	sealed Cartridge	VP-B35	sealed Cartridge	VP-B35	sealed Cartridge	VP-B35
ÜBERSETZUNG GEARING RATIO	-	-	-	-	-	-
LENKER HANDLEBAR	CrMo, 180mm	Lead Tech 2-Piece	Lead Tech	Expert Size Steel	Lead Tech	Expert Size Steel
VORBAU STEM	Lead Tech, 55 mm	4-Bolt, 40 mm	4-Bolt, 50 mm	4-Bolt	4-Bolt, 50 mm	4-Bolt, 48 mm
SATTEL SADDLE	Cionlli BMX	Cionlli BMX	Velo BMX	Cionlli BMX	Cionlli BMX	Velo BMX
SATTELSTÜTZE SEATPOST	micro adjust	steel	micro adjust	steel	micro adjust	steelt
BREMSEN BRAKES	Tektro, V-Brake	Tektro, V-Brake	Tektro, V-Brake	C-Star, V-Brake	Tektro, V-Brake	C-Star, V-Brake
BREMSEBEL BRAKE LEVER	Tektro	Tektro	Tektro	C-Star	Tektro	C-Star
NABEN HUBS	front: 14 mm axle, 36H rear: 14 mm axle, 48H	front: 14 mm axle, alloy, 36H rear: 14 mm axle, freecoaster, 36H	front/rear: 14 mm axle, 48H	front/rear: 14 mm axle, 36H	front/rear: 14 mm axle, 36H	front/rear: steel, 10 mm axle, 36H
FELGEN RIMS	Double Wall	Ace 303	Sunringle ZX 25	Ace 303	Ace 303	Ace 303
BEREIFUNG TYRE	Kenda K940 1.95	CST C1381 1.95	Kenda K-1040 2.1	Kenda K-1040 2.1	Kenda K-1040 2.1	Kenda K-51
PEDALE PEDAL	Wellgo LU-313	Wellgo LU-313	Wellgo LU-313	Wellgo LU-313	Wellgo LU-313	Wellgo LU-P9
FARBE COLOUR	(1) babyblue, (2) pacificblue	brown	(1) darkred, (2) brown	(1) black, (2) beige matt	(1) white, (2) red sand matt	(1) olivegreen, (2) anthrazite grey matt
RAHMENHÖHE FRAME SIZE	26 cm	26 cm	26 cm	26 cm	26 cm	26 cm

TERRENO SERIES

MODELL	TERRENO 950	TERRENO 900	TERRENO 700	TERRENO 500	TERRENO 450	TERRENO 400	TERRENO 400 XXL	TERRENO 300	TERRENO 200
RAHMEN FRAME	28" Univega Cross, High Modular Carbon, UD	28" Univega Cross, triple butted, alloy, Zero Stack	28" Univega Cross, with hydro gusset, alloy, Zero Stack	28" Univega Cross, with hydro gusset, alloy, Zero Stack	28" Univega Cross, triple butted, alloy, Zero Stack	28" Univega Cross, alloy, Zero Stack	28" Univega Cross XXL, alloy, Zero Stack	28" Univega Cross, alloy, Zero Stack	28" Univega Cross, alloy, Zero Stack
GABEL FORK	SR Suntour NCX-E-RL, Air, hydraulic Remote Lockout, magnesium	SR Suntour NCX-E-RL, Air, hydraulic Remote Lockout, magnesium	Univega Verso, Remote Lockout, magnesium	Univega Verso, hydraulic Lockout, magnesium	SR Suntour NCK-D-L0, hydraulic Lockout, magnesium	Univega Verso, mechanical Lockout	Verso TNL XXL, adjustable, stronger springs, hydraulic lock-out	Univega Verso, mechanical Lockout	SR Suntour NEX-4110, adjustable
GANG SPEED	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	27 Gang	24 Gang
SCHALTWERK DRIVETRAIN	SRAM X.0	Shimano XT, Shadow	Shimano SLX, Shadow	Shimano XT, Shadow	Shimano Deore	Shimano SLX, Shadow	Shimano SLX, Shadow	Shimano Deore	Shimano Deore
SCHALTHEEL SHIFTERS	SRAM X.9 Trigger	Shimano XT	Shimano SLX	Shimano Deore	Shimano Deore STI Shifter	Shimano Deore	Shimano Deore	Shimano Deore	Shimano STI Shifter
TRETLAGER CRANKSET	Shimano SLX	Shimano XT	Shimano SLX	Shimano Deore	Shimano M543	FSA Dyna Drive	Shimano M433	FSA Dyna Drive	Shimano M191
INNENLAGER BOTTOM BRACKET	included BB	included BB	included BB	included BB	included BB	Shimano UN26	Shimano UN26	Shimano UN26	sealed Cartridge
ÜBERSETZUNG GEARING RATIO	front: 48/36/26, rear: 11-34	front: 48/36/26, rear: 11-34	front: 48/36/26, rear: 11-32	front: 48/36/26, rear: 11-32	front: 48/36/26, rear: 11-32	front: 48/36/26, rear: 11-32	front: 48/36/26, rear: 11-32	front: 48/36/26, rear: 11-34	front: 48/38/28, rear: 11-30
LENKER HANDLEBAR	Concept X-treme Flatbar, alloy	Concept X-treme Flatbar, alloy	Concept SL Flatbar, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Concept SL Riserbar, alloy	Black Comp Riserbar, alloy
VORBAU STEM	Concept X-treme, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept X-treme, alloy, A-Head	Concept SL, adjustable, alloy, A-Head	Concept SL, adjustable, alloy, A-Head	Black Comp, adjustable, A-Head	Black Comp, adjustable, alloy
SATTEL SADDLE	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Selle Royal Mach, Bi-Color	Selle Royal Mach, Bi-Color	Selle Royal Mach, Bi-Color	Selle Royal Mach, Bi-Color
SATTELSTÜTZE SEATPOST	concept X-treme, patent, alloy	Concept X-treme, patent, alloy	Concept X-treme, patent, alloy	Concept X-treme, patent, alloy	Concept X-treme, patent, alloy	suspension, patent, alloy	SP 5.0, suspension, patent, alloy	suspension, patent, alloy	suspension, patent, alloy
BREMSEN BRAKES	Hayes Stroker Trail, hydraulic Disc-Brake	Shimano XT, hydraulic Disc-Brake	Shimano SLX, hydraulic Disc-Brake	Avid Juliy Three, hydraulic Disc-Brake stainless	Shimano Deore, V-Brake	Tektro Auriga Comp, hydraulic Disc-Brake	Tektro Auriga Comp, hydraulic Disc-Brake	Shimano M422, V-Brake	Black Comp, V-Brake, alloy
BREMSSCHEIBE ROTOR	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	front: 185 mm, rear: 160 mm	-	front: 180 mm, rear: 160 mm	front: 180 mm, rear: 160 mm	-	-
NABEN HUBS	front/rear: Shimano SLX, Disc, Quick Release	front/rear: Shimano XT, Disc, Quick Release	front/rear: Shimano SLX, Disc, Quick Release	front/rear: Concept SL, Disc, Quick Release One Piece, alloy	front/rear: Shimano Deore, Quick Release	front: alloy sealed, Quick Release rear: alloy, sealed, Disc, Quick Release	front: alloy sealed, Quick Release rear: alloy, sealed, Disc, Quick Release	front/rear: Shimano RM60, Quick Release	front/rear: alloy, sealed, Quick Release
FELGEN RIMS	Alex XD-Lite, eyed, Disc, 622-18, alloy	Concept SL, eyed, Disc, 622-17, alloy	Concept SL, eyed, Disc, 622-17, alloy	Rodi Vision, geßt, Disc, 622-19, alloy	Alex Ace 19, 622-17, alloy	Rodi Vision, eyed, Disc, 622-19, alloy	Rodi Kepler Dual Double Wall, Disc, 622-19, alloy	Double Wall Yak, 622-19, alloy	Double Wall Yak, 622-19, alloy
BEREIFUNG TYRE	Schwalbe Racing Ralph, Evolution, foldable, 35-622	Schwalbe Racing Ralph, Evolution, 35-622	Schwalbe Racing Ralph, Evolution, foldable, 35-622	Schwalbe Racing Ralph, Evolution, foldable, 35-622	Schwalbe Racing Ralph, Evolution, foldable, 35-622	Schwalbe CX-Comp, puncture protection, 35-622	Schwalbe Smart Sam, puncture protection, 42-622	Schwalbe CX-Comp, puncture protection, 35-622	Bohle Stone Trax, 42-622
GEPÄCKTRÄGER CARRIER	-	-	-	-	-	-	-	-	-
SCHUTZBLECH MUDGUARD	-	-	-	-	-	-	-	-	-
SCHENWERFER HEADLIGHT	-	-	-	-	-	-	-	-	-
RÜCKLICHT BACKLIGHT	-	-	-	-	-	-	-	-	-
STÄNDER KICKSTAND	-	-	-	-	-	-	-	-	-
PEDALE PEDALS	-	alloy, light	alloy, light	alloy, light	alloy, light	alloy	alloy	alloy	alloy cage
FARBE COLOUR	white/carbon UD	alabamablack/merlotred matt	white	magicblack matt	sterlingsilver/malachitgreen	white/montreal matt	white/montreal matt	nerogrey/white matt	palermosilver/magicblack
RAHMENHÖHE FRAME SIZE	HE: 50, 55, 60 cm	HE: 50, 55, 60 cm	HE: 50, 55, 60 cm DT: 45, 50 cm	HE: 45, 50, 55, 60 cm	HE: 50, 55, 60 cm DT: 45, 50, 55 cm	HE: 50, 55, 60 cm DT: 45, 50 cm	HE: 64 cm	HE: 50, 55, 60 cm DT: 45, 50 cm	HE: 50, 55, 60 cm DT: 45, 50 cm



VIA SERIES



MOUNTAIN KING TEAM	STRATO PRO CARBON	MODENA PRO	ANTARIS PRO	LASER	MODELL
28" Univega Race, High Modular Carbon, UD	28" Univega Race, High Modular Carbon, UD	28" Univega Race, triple butted, alloy	28" Univega Race, double butted, alloy	28" Univega Race, double butted, alloy	RAHMEN FRAME
Univega Race, High Modular Carbon, UD	Univega Race, High Modular Carbon, UD	Univega Race, High Modular Carbon	Univega Race, High Modular Carbon	Univega Race, High Modular Carbon	GABEL FORK
					GANG SPEED
Shimano Dura Ace	Shimano Ultegra, Ice Edition	Shimano Ultegra, Ice Edition	Shimano 105, Black Edition	Shimano Tiagra	SCHALTWERK DRIVETRAIN
Shimano Dura Ace	Shimano Ultegra, Ice Editione	Shimano Ultegra, Ice Editione	Shimano 105, Black Edition	Shimano Tiagra	SCHALTHEBEL SHIFTERS
Shimano Dura Ace Double	FSA Gossamer Pro Compact, Mega Exo	FSA Gossamer Pro Compact, Mega Exo	Shimano 105 Triple, Black Edition	Shimano Tiagra Triple	TRETLAGER CRANKSET
included BB	included BB	included BB	included BB	included BB	INNENLAGER BOTTOM BRACKET
front: 53/39, rear: 12-25	front: 50/34, rear: 12-27	front: 50/34, rear: 12-27	front: 50/39/30, rear: 11-25	front: 50/30, rear: 11-25	ÜBERSETZUNG GEARING RATIO
FSA K-Force, Carbon	Concept X-treme Road, alloy	Concept X-treme Road, alloy	Concept SL Road, alloy	Concept SL Road, alloy	LENKER HANDLEBAR
FSA OS-99, Carbon-Wrap, A-Head	Concept X-treme, alloy, A-Head	Concept SL, alloy, A-Head	Concept SL, alloy, A-Head	Concept SL, alloy, A-Head	VORBAU STEM
Fizik Arione	Concept X-treme, CroMo Rails	Concept X-treme, CroMo Rails	Concept SL	Concept SL	SATTEL SEAT
FSA K-Force RK-160, Carbon	Concept X-treme, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	SATTELSTÜTZE SEATPOST
Shimano Dura Ace	Shimano Ultegra, Ice Edition	Shimano Ultegra, Ice Edition	FSA Gossamer	Shimano Tiagra	BREMSEN BRAKES
front/rear: Mavic Ksyrium SL, 622-13, Quick Release	front/rear: Fulcrum Racing 7, 622-15, Quick Release	front/rear: Fulcrum Racing 7, 622-15, Quick Release	front/rear: Shimano RS10, 622-15, Quick Release	front/rear: Shimano RS10, 622-15, Quick Release	LAUFRÄDER WHEELSET
Schwalbe Ultremo, Evolution foldable, 23-622	Vittoria Zaffiro Pro, foldable, 23-622	Vittoria Zaffiro Pro, foldable, 23-622	Vittoria Zaffiro, 23-622	Schwalbe Lugano, 23-622	BEREIFUNG TIRES
carbon UD/UPTC white	UPTC red/carbon UD	magicblack	white	white/merlotred	FARBE COLOUR
52, 54, 56, 58, 60 cm	52, 54, 56, 58, 60 cm	54, 56, 58, 60 cm	52, 54, 56, 58, 60 cm	52, 54, 56, 58, 60 cm	RAHMENHÖHE FRAME SIZE

GEO SERIES

ALPINA KIDS SERIES



TR-70	TR-50	TR-30	XC	EIGHT	ONE	SPEED	SL-240	HT-500	HT-300	HT-SPORT
28" Univega Speed-trekking, no suspension, alloy, Zero Stack	28" Univega Speed-trekking, no suspension, alloy, Zero Stack	28" Univega Trekking, no suspension, alloy, Zero Stack	26" Univega MTB, alloy	26" Univega MTB, alloy	26" Univega MTB, alloy	26" Univega MTB, alloy, Zero Stack	24" Univega Full Suspension, alloy	20" Univega MTB, alloy	20"/24" Univega MTB, alloy	20" Univega MTB, alloy
Univega Speedtrekking, Carbon	Univega Speedtrekking, alloy	Univega Speedtrekking, alloy	SR Suntour NEX-4610, mechanical Lockout	Suspensionfork, Inverse V-Brake	SR Suntour M2000N, adjustable	Univega MTB, carbon, straight fork	Spinner Grind, adjustable	Spinner Grind, Lockout	SR Suntour M2025	Spinner Grind, Lockout
27 Gang	27 Gang	27 Gang	24 Gang	8 Gang	24 Gang	27 Gang	21 Gang	24 Gang	21 Gang	21 Gang
Shimano XT, Shadow	Shimano SLX, Shadow	Shimano Deore	Shimano Deore LX	Shimano Nexus	Shimano Deore	Shimano SLX, Shadow	Shimano Acera	Shimano Deore LX	Shimano Acera	Shimano Acera
Shimano SLX	Shimano SLX	Shimano Deore	Shimano STI Shifter	-	Shimano STI Shifter	Shimano Deore	Shimano STI Shifter	Shimano Tourney, turning handle	Shimano Tourney, turning handle	Shimano Tourney, turning handle
Shimano SLX	Shimano SLX	FSA Dyna Drive	Shimano M191	Prowheel alloy	SR Suntour XCC-102	Shimano M542	SR Suntour XCC-150	SR Suntour XCC-152	SR Suntour XCC-152	SR Suntour XCC-152 with chaincase cover
included BB	included BB	Shimano UN26	sealed Cartridge	sealed Cartridge	sealed Cartridge	included BB	sealed Cartridge	sealed Cartridge	sealed Cartridge	sealed Cartridge
front: 48/36/26, rear: 11-34	front: 48/36/26, rear: 11-32	front: 48/36/26, rear: 11-32	front: 42/34/24, rear: 11-32	front: 38, rear: 19	front: 42/34/24, rear: 11-30	front: 44/32/22, rear: 11-32	front: 42/34/24, rear: 14-34	front: 42/32/22, rear: 11-30	front: 42/34/24, rear: 14-28	front: 42/34/24, rear: 14-28
Concept SL Flatbar, alloy	Concept SL Flatbar, alloy	Concept SL Flatbar, alloy	Concept SL Flatbar, alloy	Flatbar	Flatbar	Concept SL Flatbar, schwarz	Riserbar, alloy	Riserbar, alloy	Riserbar, alloy	Riserbar, alloy
Concept X-treme, adjustable, alloy, A-Head	Concept SL, adjustable, alloy, A-Head	Black Comp, adjustable, alloy, A-Head	Black Comp, adjustable, alloy, A-Head	Black Comp, adjustable, alloy	Black Comp, adjustable, alloy	Concept SL, adjustable, alloy, A-Head	alloy, A-Head	alloy, A-Head	alloy, A-Head	alloy, A-Head
Fizik Rondine	Selle Royal Freccia Cut	Selle Royal Freccia Cut	Selle Royal Offroad	Selle Royal Offroad	Selle Royal Offroad	Selle Royal Viper	Velo VL5061	Velo VL5010	Velo VL5010	Velo VL5010
Concept X-treme, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	Concept SL, patent, alloy	Black Comp, patent, alloy	Black Comp, patent, alloy	Concept SL, patent, alloy	patent, alloy	patent, alloy	patent, alloy	patent, alloy
Shimano Deore LX, V-Brake	Shimano Deore, V-Brake	Concept SL, V-Brake, alloy	Concept SL, V-Brake, alloy	Black Comp, V-Brake, alloy	Black Comp, V-Brake, alloy	Tektro Auriga Comp, hydraulic Disc-Brake	V-Brake, alloy	V-Brake, alloy	V-Brake, alloy	V-Brake, alloy
-	-	-	-	-	-	-	-	-	-	-
front/rear: Shimano SLX, Disc, Quick Release	front/rear: Shimano Deore, Quick Release	front/rear: alloy, sealed, Quick Release	front: Shimano hub dynamo 3N30, Quick Release rear: Shimano RM30, Quick Release	front: Shimano hub dynamo 3N20 rear: Shimano Nexus 8-speed, brake boss	front: Shimano hub dynamo 3N20 rear: alloy, sealed, Quick Release	front/rear: Concept SL, Disc, Quick Release	front/rear: Formula, alloy	front/rear: alloy, Quick Release	front/rear: alloy, Quick Release	front/rear: alloy, Quick Release
Alex Ace 19, 622-17, alloy	Alex Ace 19, 622-17, alloy	Rodi Vision, 622-17, alloy	Double Wall Yak, 559-19, alloy	Double Wall Euroline, 559-19, alloy	Double Wall Yak, 559-19, alloy	Concept SL, eyed, Disc, 559-17, alloy	alloy	Double Wall, alloy	alloy	alloy
Vittoria Radonneur, with reflective stripes, puncture protection, 32-622	Vittoria Radonneur Pro, foldable, with reflective stripes, puncture protection, 32-622	Schwalbe Road Cruiser Light, with reflective stripes, puncture protection, 32-622	Schwalbe CX Comp, with reflective stripes, puncture protection, 50-559	Schwalbe CX Comp, with reflective stripes, puncture protection, 50-559	Schwalbe CX Comp, with reflective stripes, puncture protection, 50-559	Schwalbe Marathon Supreme, foldable, with reflective stripes, puncture protection, 50-559	CST, MTB	Kenda, MTB	Kenda, MTB	Kenda, MTB
SKS, plastic with reflector, Rear-Spoiler	SKS, plastic with reflector, Rear-Spoiler	SKS, plastic with reflector, Rear-Spoiler	SKS, plastic with reflector, Rear-Spoiler	SKS, plastic with reflector, Rear-Spoiler	SKS, plastic with reflector, Rear-Spoiler	SKS, plastic with reflector, Rear-Spoiler	-	-	-	-
Racktime Light IT	3-stays, alloy, light	3-stays, alloy, light	2-stays, alloy	2-stays, alloy	2-stays, alloy	-	-	-	-	-
Spanninga Lucoo XB LED, battery-operated	Spanninga Lucoo XB LED, battery-operated	Spanninga Lucoo XB LED, battery-operated	B&M Lumotec Halogen with switch	Basta ISI Halogen with switch	Basta ISI Halogen with switch	-	-	-	-	-
Herrmans H-Googie, battery-operated	Herrmans H-Googie, battery-operated	Herrmans H-Googie, battery-operated	Basta X-Ray Steady, mit Standlicht	Basta X-Ray Steady, mit Standlicht	Basta X-Ray Steady, mit Standlicht	-	-	-	-	-
Pletscher Zoom Comp, adjustable, alloy	Pletscher Zoom Comp, adjustable, alloy	Pletscher Zoom Comp, adjustable, alloy	rear kick stand, alloy	side kick stand, adjustable, alloy	rear kick stand, alloy	-	-	-	-	-
alloy, light	alloy, light	alloy, light	alloy cage	alloy cage	alloy cage	alloy cage	MTB	MTB	MTB	MTB
white matt	merlotred matt	diamondblack matt	HE: darkblue matt, DT: morared matt	torontogrey matt	HE: sudanbrown matt, DT: vanillawhite matt	pearlgray matt	magicblack/white	magicblack	magicblack	oxalisred
HE: 45, 50, 55, 60 cm	HE: 45, 50, 55, 60 cm	HE: 50, 55, 60 cm DT: 45, 50, 55 cm	HE: 40, 45, 50, 55 cm DT: 40, 45, 50 cm	HE: 40, 45, 50 cm DT: 40, 45, 50 cm	HE: 40, 45, 50, 55 cm DT: 40, 45, 50 cm	40, 45, 50, 55 cm	36 cm	32 cm	32, 35 cm	32 cm

UNIVEGA

RIDE IT YOUR WAY

Univega Austria

Raleigh Univega GmbH
Siemensstr. 1-3
49661 Cloppenburg
Phone 0049-4471966101

Univega Belgium

Raleigh Univega GmbH
Siemensstr.1-3
49661 Cloppenburg
Phone 0049-4471966101

Univega Croatia

DSG Bicikli d.o.o.
A. Senoe 29 b
43000 Bjelovar
Phone 00385-43243894

Univega Czech Republic

Hepos West
Barvinkova 779/1
32600 Plzen
Phone 00420-377246626

Univega Denmark

PeakBike ApS
Sandkrogen 58
2800 Kongens Lyngby
Phone 0045-41412800

Univega Finland

Emilia Sport
Sammonkatu 66 b
33540 Tampere
Phone 00358-33562155

Univega France

Raleigh Univega GmbH
Siemensstr.1-3
49661 Cloppenburg
Phone 0049-4471966101

Univega Germany

Raleigh Univega GmbH
Siemensstr.1-3
49661 Cloppenburg
Phone +49 44 71/92 34-0

Univega Greece

Cross Hellas Podilatiki A.E.
209, Athinon Ave.
12461 Haidari, Athens
Phone 0030-2105324990

Univega Hungary

HEFA-Sport Kereskedelmi Kft.
Fenyves utca 21.
8200 Veszprém
Phone 0036-88591032

Univega Israel

H.G. Agencies Ltd.
21, Havradim St. Ganey Yehuda
56905 Savyon
Phone 00972-36356726

Univega Italy

Bike Evolution
Rigaste S. Zeno 39/B
37123 Verona
Phone 0039-045592410

Univega India

Cosco (India) Limited
2/8, Roop Nagar
110 007 Delhi
Phone 0091-1123843001

Univega Japan

Daiwa Seiko Inc.
3-14-16 Maesawa
203-8511 Tokyo
Phone 0081-424797774

Univega Latvia

Veloserviss Ltd.
Viskalu street 26
1026 Riga
Phone 00371-29550297

Univega Lithuania

Meibalt
Svitrigailos 5
2000 Vilnius
Phone 00370-52651259

Univega Mexico

Metmin Services, S.A de C.V.
Bosque de Duraznos 65-1002 AYB
Mexico 11700 D.F.
Phone 005255-59803500

Univega Netherlands

Raleigh Univega GmbH
Siemensstr.1-3
49661 Cloppenburg
Phone 0049-4471966101

Univega Norway

Mana Investforum AS
Acarden, Postboks 378
7801 Namsos
Phone 0047-48203823

Univega Poland

Arkus & Romet Group Sp. z o.o.
Podgrodzie 32c
39-200 Debica
Phone 0048/67-2662441

Univega Reunion

Bebe Cristal SARL
266 rue Maréchal LECLERC
97400 St Denis Ile de la Réunion
Phone 00262-213717

Univega Reunion

Bana Velo
05, Rue A.Archambaud
97400 St Pierre Ile de la Réunion
Phone 00262-250856

Univega Romania

S.c. SportBikeCenter. S.r.l
St.Penes Carcanul 3-5
300124 Timisoara
Phone 0040-256220024

Univega Russia

OOO SK Kant
Elektrolitnij proezd 7 b
113230 Moscow
Phone 007-4953179577

Univega Slovenia

Ziga Sport d.o.o.
Milje 57
4212 Visoko
Phone 00386-42531280

Univega Slovakia

AGF Invest s.r.o.
Hlinikova 365/39
95201 Vrable
Phone 00421-262859549

2009 KATALOG

Univega Spain

Bicicletas Esteve S. L.
Vial C Parcela 15
17251 Calonge
Phone 0034-972653707

Univega Switzerland

swissbike Piero Zurino GmbH
Pilatusstraße 4
6036 Dierikon
Phone 0041-416207455

Univega Ukraine:

Artbike Ltd.
31 Vozduhoflotskiy pr.
03680 Kiev
Phone 0038-0442449689

Univega United Kingdom

50Cycles Ltd.
Unit M Littlemoor Lane
Loughborough LE11 1SF
Phone 0044-1509266656

AUTHORIZED DEALER

Raleigh Univega GmbH, Siemensstr. 1-3, 49661 Cloppenburg

Phone: +49 (0) 44 71/92 34-0, Fax: +49 (0) 44 71/92 34-240

Email: info@raleigh-univega.de

WWW.UNIVEGA.COM